



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Soda Fountains and Ice-Cream Parlors—Cleaning and Sterilizing of Utensils—Protection of Ingredients Used in Preparation of Drinks, Ices, etc. (Ord. A-205, Apr. 10, 1916.)

SEC. 81. Soft-drink parlors, soda fountains, ice-cream parlors and all places where soft drinks and ices are sold shall wash in running water immediately after using and sterilize at least once daily all glasses, spoons and all other utensils used in such service. All materials and ingredients used in connection with mixing or preparing drinks or ices in soft-drink parlors, soda fountains, ice-cream parlors and all other places where soft drinks and ices are prepared, served or sold, shall be so protected as to exclude flies and dust by suitable covering of paper, glass, wood or metal.

Drinking Water—Source of Supply—Required to be Cleaned or Closed when Contaminated. (Ord. A-205, Apr. 10, 1916.)

SEC. 88. Whenever the health officer finds the water in any well, cistern, or spring, or other source of supply in the city of North Yakima to be impure, contaminated, and unfit for drink, it shall be his duty to serve, or cause to be served on the owner, agent or tenant of the property, a notice in writing that such water shall no longer be used for drinking purposes, and it is hereby made the duty of the health officer to order the closure, filling up, or destruction of any well or cistern, or other source of supply whose waters are found to be impure, unless after proper cleansing it is found that the water is healthful to the satisfaction of the health officer, and when such steps are taken by the health officer, any tenant, owner, agent, or other individual whatsoever who resists, opposes, or attempts in any way to interfere with said work of the health officer, or resists any properly authorized officer in the discharge of his duty, shall be subject to the penalties herein provided.

Buildings—Insanitary Conditions Required to be Remedied. (Ord. A-205, Apr. 10, 1916.)

SEC. 89. Whenever any building, or a part thereof, may become insanitary, or for any reason endanger human health, the health officer shall issue an order, to be affixed conspicuously on the building, and served on the owner, agent, lessee, or occupant thereof, requiring all persons to vacate such building, and discontinue its use at such time as the health officer may determine, which time shall be stated in said order. Any owner, agent, lessee, or occupant of any such building, or part thereof, who shall fail or refuse to comply with said order, shall be subject to the provisions and penalties herein provided, unless he appeals to the city commission within five days, or repairs the building, or cleans the same, or otherwise complies with the requirements of the health officer within the time stated in the order, and it shall thereafter be unlawful to occupy or permit the occupancy of such house, or part thereof, until such order has been complied with.

Lodging Houses—Sanitary Regulation. (Ord. A-205, Apr. 10, 1916.)

SEC. 42. Every lodging house shall be regularly inspected as may be required by the city health officer.

SEC. 43. Lodging houses shall be adequately ventilated in a manner satisfactory to the city health officer.

SEC. 44. At least 400 cubic feet of air space shall be provided for each adult lodger, and for each child under 12 years of age there shall not be less than 200 cubic feet. Neither side of any bed shall at any time be nearer than 2 feet to the side of any other bed. All beds shall be arranged to permit the free circulation of air under them. Sleeping rooms, water-closets, washrooms, and bathrooms shall be thoroughly aired each day, and all beds occupied at night shall be turned over and exposed to the

fresh air daily. In no case shall double shifts of lodgers be permitted to occupy the same bed.

SEC. 45. No bed or bunk shall be placed in nor shall any one be permitted to sleep, lodge, or dwell in a cellar or basement.

SEC. 46. All beds, bed clothing, mattresses, and pillows shall always be kept clean and free from vermin. Clean sheets and pillowcases shall be furnished for each bed at least once a week: *Provided, however,* That they must be furnished as often as a new lodger occupies the bed.

SEC. 47. In every lodging house there shall be provided at least one water-closet on each floor. In case both sexes are guests in the same lodging house, not less than one separate toilet shall be maintained for each sex.

SEC. 48. Every lodging house and every part thereof shall at all times be kept clean and free from dirt, vermin, filth, garbage, and rubbish in or upon the premises belonging to or connected with the same. All water-closets, wash basins, baths, windows, fixtures, fittings, and floors of all rooms, passageways, and stairways shall be sound, in good repair, and the floors shall be wet-swept or otherwise treated as often as it is necessary to keep them thoroughly clean.

SEC. 49. Hereafter no lodging house containing cubicles shall be established or opened for the purpose of entertaining guests without a permit from the city health officer.

SEC. 50. From and after the passage of this ordinance no garbage chute shall be built or erected and used in any lodging house, tenement, or apartment in the city of North Yakima unless so constructed that it may be flushed with water under pressure and drained to the sewer.

Privies and Cesspools—Location, Construction, and Maintenance—Connections with Sewer. (Ord. A-205, Apr. 10, 1916.)

SEC. 104. No person shall suffer or permit any cellar, vault, private drain, cesspool, or privy or sewer upon any premises belonging to or occupied by him within the corporate limits of the city of North Yakima to become nauseous, offensive, or injurious to the public health, and it shall be the duty of all occupants of property to keep all privies, privy vaults, cesspools, and drains on the premises occupied by them in a clean and sanitary condition.

SEC. 105. It shall be unlawful for any person, firm, or corporation, whether as owner, agent, or employee, to have or maintain any privy or privy vault, cesspool, pit, or like place which is not securely protected from flies.

SEC. 106. It shall be unlawful for any person to dig or use, or cause to be dug or used, any privy vault or cesspool, or connect any plumbing with a cesspool, or build or rebuild or cause to be built or rebuilt any privy building, privy vault, or cesspool within the limits of the city of North Yakima, except upon a written permit from the city health officer. All applications for such permit must be in writing and accompanied by a certificate from the city engineer that the said premises are not within 150 feet of a public sewer.

SEC. 107. No such privy vault, privy building, or cesspool shall be constructed within 20 feet of any house or residence, or buildings used as such, nor within 2 feet of the property line of such premises.

SEC. 108. The floors and walls of all privy vaults shall be of cement, concrete, cemented stone, or other impervious material and must be smooth and level in surface.

SEC. 109. All vaults hereafter constructed must be not less than 4 feet wide (from front to rear) and 3 feet long and must be closely joined to the privy building, and ventilating pipe, of wood or other material, of not less than 6 inches in diameter shall extend from the top of the vault to 2 feet above the roof of the privy building, and the opening at the top of this pipe must be securely screened to exclude flies.